ISASWISS

WATCH MECHANISMS

PRODUCT LINE 2017






Product Line







9239A9

823800

9239FB

9238G8

8238HB

823910

9238J0

Product Line















Specifications:

Ø25.60mm Metal Construction 57 Months Battery Life

Features:

- Center Chronograph Hand Stop-1/5 Second
- Power-saving Mechanism
- · End of Life Indication







Height 3.70mm, 3 Jewels

6H: Date by Window 10H: 30 Mins. Chrono





Height 3.70mm, 3 Jewels

2H: Small Second 6H: Date by Window 10H: 30 Mins. Chrono





Height 3.70mm, 3 Jewels

2H: Small Second 4H: Date by Window 6H: Date by Hand 10H: 30 Mins. Chrono

Cal. 8171E



Height 3.70mm, 3 Jewels

2H: Small Second 6H: Date by Hand 10H: 30 Mins. Chrono









CHRONOGRAPHS









Cal. 8172A
(Old Ref.: 8172/220)
Day Date





Height 3.70mm, 3 Jewels

2H: Small Second 4H: Date by Window 6H: Moon Phases 10H: 30 Mins. Chrono Height 4.20mm, 3 Jewels 2H: Small Second 4H: Date by Window 6H: Day by Hand 10H: 30 Mins. Chrono

2H: Small Second 4H: Date by Window 6H: Day by Hand 10H: 30 Mins. Chrono Alarm: Center Hand 12 Hours Alarm











CHRONOGRAP

PROFESSIONAL TACHYMETER CENTER CHRONO



Specifications:

Ø30.60mm 64 Months Battery Life

Features:

- Eye Distance from Center as Far as 8.5mm
- Center Chronograph Hand Stop-1/5 Second
- · Split Time
- · Pushers with Click Feeling
- · End of Life Indication





3H: Small Second 6H: Date by Window 9H: 30 Mins. Chrono



3H: Small Second 4.5H: Date by Window 6H: 10 Hours Chrono 9H: 30 Mins. Chrono



3H: Small Second 4.5H: Date by Window 6H: 1/10 Sec. Chrono 9H: 30 Mins. Chrono







SWISS MADE FAR EAST ASSEMBLY

MULTIFUNCTION

POWER RESERVE, GMT & ALARM



Specifications: Ø25.60mm Metal Construction 39 Months Battery Life

Features:

- Center Hand 24 Hours GMT
- · End of Life Indication





Power Reserve, GMT & Alarm



Height 4.60mm, 9 Jewels

2H: Small Second 4H: Date by Window

6H: Day by Hand

10H: Power Reserve

Alarm: Center Hand 12 Hours Alarm GMT: Center Hand 24 Hours GMT





Height 4.60mm, 9 Jewels

2H: Small Second 6H: Date by Window Alarm: Center Hand 12 Hours Alarm GMT: Center Hand 24 Hours GMT

Cal. 8176B (Old Ref.: 8176/2050)



Height 3.70mm, 3 Jewels

2H: Small Second 6H: Date by Window GMT: Center Hand 24 Hours GMT











WITH PUSHER



Specifications:

Ø30.60mm

48 Months Battery Life

Features:

- Eye Distance from Center as Far as 9.0mm
- · Strong Motor

Cal. 9230M1



Height 4.20mm

3H: Date by Window 6H: Dual Time / Day & Night 9H: Day by Hand 12H: Month by Hand

WITH DAY & NIGHT



Specifications:

Ø23.30mm

32 Months Battery Life

Cal. 9231C1



Height 4.13mm

3H: Date by Hand 6H: Day & Night 9H: Day by Hand

Cal. 9231K0



Height 4.13mm

6H: Day & Night









WITH CALENDAR



Specifications: Ø23.30mm 32 Months Battery Life



Cal. 9232A2 (Old Ref.: 9232/1920)



Height 4.13mm

3H: Date by Window 6H: Dual Time 9H: Day by Hand 12H: Month by Hand

Cal 9232B2 (Old Ref.: 9232/1930)



Height 4.13mm

3H: Date by Window 6H: Dual Time 12H: Month by Hand

Cal. 9232C1 (Old Ref.: 9232/1940)



Height 4.13mm

3H: Date by Window 6H: Dual Time

Cal. 9232D0 (Old Ref.: 9232/1950)



Height 4.13mm

3H: Date by Window 9H: Day by Hand











WITH PUSHER

Specifications:

Ø23.30mm 32 Months Battery Life (Far East) 67 Months Battery Life (Swiss Made)

Cal. 9238A3 Cal. 9238A2 Cal. 9238D1 Cal. 9238F2 Cal. 9238F3 Cal. 9238G1 Cal. 9238H1 Cal. 9238H3 (Old Ref.: 9238/1970) Cal. 9238H3 (Old Ref.: 9238/1980) Cal. 9238/1980)

or 9238/1971)

or 9238/1973)

Height 4.13mm

3H: Date by Hand 6H: Dual Time 9H: Day by Hand

Height 4.13mm

3H: Date by Hand 6H: Dual Time 9H: Day by Hand



3H: Date by Hand 9H: Day by Hand



3H: Date by Hand 6H: Dual Time



6H: Dual Time 9H: Day by Hand



6H: Dual Time



3H: Date by Hand



WITHOUT PUSHER

Specifications:

32 Months Battery Life



3H: Date by Hand 6H: 24 Hours 9H: Day by Hand



3H: Date by Hand 9H: Day by Hand



3H: Date by Hand 6H: 24 Hours



6H: 24 Hours 9H: Day by Hand

6H: 24 Hours



3H: Date by Hand

9H: Day by Hand

MULTIFUNCTION

WITH PUSHER

Specifications: Ø30.60mm

31 Months Battery Life (Far East) 67 Months Battery Life (Swiss Made)

Features:

- Eve Distance from Center as Far as 9.0mm
- · Strong Motor

🔛 Cal. 9239A2 🖽 Cal. 9239D1 🖽 Cal. 9239F2 🖽 Cal. 9239G1 🖽 Cal. 9239H1 🖼 Cal. 9239H1

Heiaht 4.20mm











3H: Date by Hand 6H: Dual Time 9H: Day by Hand

3H: Date by Hand 9H: Day by Hand

3H: Date by Hand 6H: Dual Time

6H: Dual Time 9H: Day by Hand

6H: Dual Time

3H: Date by Hand

WITHOUT PUSHER

Specifications: Ø30.60mm

31 Months Battery Life

Features:

- Eye Distance from Center as Far as 9.0mm
- · Strong Motor

B Cal. 9239A0 B Cal. 9239D0 B Cal. 9239F0 Cal. 9239G0 Cal. 9239H0 Cal. 9239H0



3H: Date by Hand



3H: Date by Hand 9H: Day by Hand



3H: Date by Hand





6H: 24 Hours



3H: Date by Hand



9H: Day by Hand

ISASPORT





SPORTS



Specifications:

Ø25.60mm H 4.60mm 9 Jewels Metal Construction 39 Months Battery Life

Features:

- Tailor-made Sport Functions
- · End of Life Indication







Cal. 8271A

Football Timer

2H: Small Second 6H: Date by Window 10H: 60 Sec. Chrono

Cal. 8272A

Tide Indicator



2H: Small Second 6H: Date by Window 10H: Moon Phases

2H: Small Second 6H: Date by Window 10H: 60 Sec. Timer / 60 Sec. Chrono / 96 Hrs. Chrono



Football Timer Functions:

- . 45 Minutes Regular Time Count Down
- . 15 Minutes Extra Time Count Down
- · 7.5 Minutes Additional Time Chronograph
- . Center Hand Stop-Minute
- . 60 Second Counter





Tide Indicator Functions:

- . Center Hand Tide Level Indicator
- · Tide Intensity Counter

Yacht Timer Functions:

. Center Hand Stop-Minute











Features:

- Digital 1/100 Sec. Chrono
- · Split Time
- · Dual Time
- Alarm

- End of Life Indication
- · Positive or Negative LCD
- Back Light
- Customized Functions





- · Day Date
- Alarm
- Digital 1/100 Sec. Chrono
- Dual Time



- Anadigit Compass
- VoyagerDate
- · Alorm
- · Digital 1/100 Sec. Chrono
- Dual Time



- World Time
- Summer Time
- Voyager
- · Day Date
- · Alarm
- Digital 1/100 Sec. Chrono







· Dual Time

ISATRONIC



CAL. 257A No Crown

2 HANDS NO CROWN 13.00 x 15.15mm H 2.75mm 2 Jewels Metal Gold Plating *Case Back Electronic Time Setting 60 Months Battery Life mention



CAL. 257B

13.00 x 15.15mm H 2.50mm 2 Jewels Metal Gold Plating 60 Months Battery Life (newscall)



CAL. 125B (Old Ref.: 125/1301)

2 HANDS 17.20 x 13.00 x 15.50mm H 1.40mm 8 Jewels Metal Gold Plating 60 Months Battery Life meconical





CAL. 127B

2 HANDS ø17.20mm H 1.40mm 8 Jewels Metal Gold Plating 60 Months Battery Life merelial





CAL. 222B (Old Ref.: 222/130)

2 HANDS ø17.20mm H 1.60mm 6 Jewels Metal Gold Plating 52 Months Battery Life (heaveless)





2 HANDS WITH DATE ø17.20mm H 1.90mm 6 Jewels Metal Gold Plating 52 Months Battery Life mecretical



MANNAS.



CAL. 220B (Old Ref.: 220/130) 2 HANDS ø23.30mm H 1.60mm 6 Jewels Metal Gold Plating 52 Months Battery Life merencen







ISAQUARTZ











2 HANDS NO CROWN 15.30 x 17.80mm H 2.85mm

Metal Heart *Case Back Electronic Time Setting

78 Months Battery Life absention



Cal. 336D

SMALL SECOND 15.30 x 17.80mm H 2.50mm 5 Jewels Metal Heart 44 Months Battery Life (heavetcal)



3 HANDS WITH DAY DATE ø29.00mm H 4.10mm 1 Jewels Metal

💶 Cal. 1198I

(Old Ref.: 1198/105)

38 Months Battery Life meaning





3 HANDS ø19.40mm H 2.50mm 5 Jewels Metal Heart

42 Months Battery Life meretral



Cal. 438F

3 HANDS WITH DATE ø19.40mm H 2.50mm 5 Jewels Metal Heart

42 Months Battery Life



Cal. K83F

3 HANDS WITH DATE ø19.40mm H 3.25mm

Metal Heart 42 Months Battery Life old theoretical 35 Months Battery Life FE Property



Cal. 2334F

3 HANDS WITH DATE ø32.60mm H 3.00mm

Synthetic 40 Months Battery Life

Strong Motor



Cal. 430C

ø23.30mm / H 2.50mm 5 Jewels Metal Heart 60 Months Battery Life (heartest)



Cal. 430F

3 HANDS WITH DATE ø23.30mm / H 2.50mm 5 Jewels Metal Heart 60 Months Battery Life meretical



Cal. 2330F (Old Ref.: 2330/103)

3 HANDS WITH DATE ø23.30mm / H 2.95mm Synthetic

67 Months Battery Life (5M theoretical 32 Months Battery Life #E theoretical





Cal. 431C

3 HANDS ø25.60mm / H 2.50mm 5 Jewels Metal Heart 60 Months Battery Life mereton



Cal. 431F

3 HANDS WITH DATE ø25.60mm / H 2.50mm 5 Jewels Metal Heart 60 Months Battery Life meetical



Cal. 2331F (Old Ref.: 2330/1031

3 HANDS WITH DATE

ø25.60mm / H 2.95mm Synthetic

67 Months Battery Life CM Pro 32 Months Battery Life -



Movement - Standard Versions 🔛 swiss made 🕀 FAR EAST ASSEMBLY





| Family | Calibre | Versions | Appearance | Size | Mov't Height (mm) | Stem Height (mm) | Standard Hand Height | Optional Hand Height | Battery Cover | Jewel | Finishing | Battery | Battery Life (Month) (Theoretical) |
|----------------|---------|--------------|------------|---------|----------------------|------------------|-------------------------|-------------------------|------------------|-------|-----------|--------------|---------------------------------------|
| ISA SPECIALITY | 8171A | + 33 | (*) | 111/2"" | 3.70 | 1.60 | AIG 2 | Available | CC | 3 | Metal | SR927W(399) | 57 |
| CHRONOGRAPHS | 8171B | + 3 | (4) | 111/2"" | 3.70 | 1.60 | AIG 2 | Available | CC | 3 | Metal | SR927W(399) | 57 |
| | 8171C | + 4: | 8 | 111/2"" | 3.70 | 1.60 | AIG 2 | Available | CC | 3 | Metal | SR927W(399) | 57 |
| | 8171D | + 33 | (%E) | 111/2"" | 3.70 | 1.60 | AIG 2 | Available | CC | 3 | Metal | SR927W(399) | 57 |
| | 8171E | + 4 | 8 | 1132"" | 3.70 | 1.60 | AIG 2 | Available | CC | 3 | Metal | SR927W(399) | 57 |
| | 8172A | + 33 | 8 | 111/2"" | 4.20 | 2.05 | AIG 2 | Available | CC | 3 | Metal | SR927W(399) | 57 |
| | 8174A | + 3: | (8) | 11½''' | 4.60 | 2.25 | AIG 2 | Upon Request | CC | 9 | Metal | SR927W(399) | 57 |
| | 8371B | + 4 | (m/s) | 13¼" | 5.50 | 1.75 | AIG 2 | Upon Request | CC | 0 | Metal | SR936SW(394) | 64 |
| | 8371C | + 4 | ~ | 13¼" | 5.50 | 1.75 | AIG 2 | Upon Request | CC | 0 | Metal | SR936SW(394) | 64 |
| | 8371D | + = | 69 | 13¼''' | 5.50 | 1.75 | AIG 2 | Upon Request | CC | 0 | Metal | SR936SW(394) | 64 |
| ISA SPECIALITY | 8173A | + 4 | 8 | 111/2"" | 4.60 | 2.25 | AIG 2 | Upon Request | CC | 9 | Metal | SR927W(399) | 39 |
| MULTIFUNCTION | 8176A | + 4 | 8 | 111/2"" | 4.60 | 2.25 | AIG 2 | Upon Request | CC | 9 | Metal | SR927W(399) | 39 |
| | 8176B | + 3 | (%) | 1132''' | 3.70 | 1.60 | AIG 2 | Available | CC | 3 | Metal | SR927W(399) | 39 |
| | 9230M1 | + | 8 | 13¾''' | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 48 |
| | 9231C1 | E23 | (ME) | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9231K0 | 43- | 8 | 101/2" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9232A2 | 23 | 8 | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9232B2 | =13 | 8 | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9232C1 | E73 | 8 | 101/2" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9232D0 | E | 9 | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9238A3 | + == | 80 | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 67(SM) / 32(FE) |
| | 9238A2 | + :: | ∞ | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 67(SM) / 32(FE) |
| | 9238D1 | E23 | ∞ | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9238F2 | E | 8 | 101/2" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9238G1 | 41- | 8 | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9238H1 | 63 | 8 | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 923811 | E | (A) | 101/2" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9238A0 | 4 | ∞ | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9238D0 | E | 99 | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9238F0 | 55 | 8 | 101/2" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9238G0 | -1 - | 8 | 101/2" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9238H0 | E \$P | 8 | 101/2" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 923810 | 43 | 8 | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9238J0 | | 8 | 101/2"" | 4.13 | 2.18 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |

| Family | Calibre | Versions | Appearance | Size | Mov't Height (mm) | Stem Height (mm) | Standard Hand Height | Optional Hand Height | Battery Cover | Jewel | Finishing | Battery | Battery Life (Month) (Theoretical) |
|----------------|---------|------------|-------------------|------------|----------------------|--------------------|-------------------------|-------------------------|------------------|-------|-------------------------|--------------|---------------------------------------|
| ISA SPECIALITY | 9239A2 | + 2 | (g) | 13¼''' | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 48(SM) / 32(FE) |
| MULTIFUNCTION | 9239D1 | 4 | 9 | 13¼''' | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9239F2 | 52 | 8 | 13¼''' | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9239G1 | 52 | 8 | 13¼''' | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9239H1 | 43 | 8 | 13¼"" | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 923911 | ED | 9 | 13¼''' | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9239A0 | 4 | 050 | 13¼''' | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9239D0 | | 99 | 13¼''' | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9239F0 | 4 | 89 | 13¼''' | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9239G0 | EP | 8 | 13¼''' | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9239H0 | 53 | 8 | 13¼"" | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 923910 | 65 | (S) | 131/4"" | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| | 9239J0 | EP | 9 | 131/4"" | 4.20 | 2.25 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 32 |
| ISA SPORT | 8270B | + 4 | 99 | 111/2"" | 4.60 | 2.25 | AIG 2 | Available | CC | 9 | Metal | SR927W(399) | 39 |
| | 8271A | + == | (%) | 1132''' | 4.60 | 2.25 | AIG 2 | Available | CC | 9 | Metal | SR927W(399) | 39 |
| | 8272A | + [4] | (90) | 111/2"" | 4.60 | 2.25 | AIG 2 | Available | CC | 9 | Metal | SR927W(399) | 39 |
| ISA DIGIT | 9516A | + 39 | 2 | 14''' | 7.30 | 2.00 | AIG 2 | Upon Request | CC | 0 | Positive / Negative LCD | CR2025 | 50 |
| | 9012A | + 33 | (8) | 14''' | 6.20 | 3.05 | AIG 2 | Available | CC | 0 | Positive / Negative LCD | CR2016 | 39 |
| | 9013A | + 4 | (8) | 14''' | 6.20 | 3.05 | AIG 2 | Available | CC | 0 | Positive / Negative LCD | CR2016 | 36 |
| ISA TRONIC | 257A | + | (9) | 5½ x 6¾''' | 2.75 | Electronic Setting | AIG 2 | Available | CC | 2 | Metal Gold Plating | SR616SW(321) | 60 |
| 2 HANDS | 257B | + | (3) | 5½ x 6¾"" | 2.50 | 1.00 | AIG 2 | Available | CC | 2 | Metal Gold Plating | SR616SW(321) | 60 |
| L MANUS | 125B | # | $\overline{\sim}$ | 7¾ x 5½''' | 1.40 | 0.60 | AIG 2 | Available | sc | 8 | Metal Gold Plating | SR714SW(341) | 60 |
| | 127B | + | (S) | 734*** | 1.40 | 0.60 | AIG 2 | Available | SC | 8 | Metal Gold Plating | SR714SW(341) | 60 |
| 2 HANDS DATE | 222B | + | Š | 734*** | 1.60 | 0.70 | AIG 2 | Available | sc | 6 | Metal Gold Plating | SR616SW(321) | 52 |
| | 220B | + | (S) | 101/2" | 1.60 | 0.70 | AIG 2 | Available | sc | 6 | Metal Gold Plating | SR716SW(315) | 52 |
| | 222E | 4 | ×, | 734*** | 1.90 | 1.00 | AIG 2 | Available | SC | 6 | Metal Gold Plating | SR616SW(321) | 52 |
| E HANDS DATE | 220E | + | ×. | 101/2" | 1.90 | 1.00 | AIG 2 | Available | SC | 6 | Metal Gold Plating | SR716SW(315) | 52 |
| 3 HANDS DATE | 220F | Ŧ. | Š | 101/2" | 1.90 | 1.00 | AIG 2 | Available | SC | 6 | Metal Gold Plating | SR716SW(315) | 40 |
| ISA QUARTZ | K62A | + 33 | A | 6% x 8''' | 2.85 | Electronic Setting | AIG 2 | Available | CC | 0 | Metal Heart | SR621SW(364) | 78 |
| 2 HANDS | 336D | + == | 8 | 6¾ x 8''' | 2.50 | 1.00 | AIG 2 | Upon Request | SC | 5 | Metal Heart | SR626SW(377) | 44 |
| 3 HANDS | 438C | + | Š | 834''' | 2.50 | 1.00 | AIG 2 | Upon Request | SC | 5 | Metal Heart | SR721SW(362) | 44 |
| | 430C | — | Š | 101/2" | 2.50 | 1.00 | AIG 2 | Upon Request | SC | 5 | Metal Heart | SR920SW(371) | 60 |
| | 431C | # | 8 | 111/2''' | 2.50 | 1.00 | AIG 2 | Upon Request | SC | 5 | Metal Heart | SR920SW(371) | 60 |
| | 438F | ÷. | 8 | 834''' | 2.50 | 1.00 | AIG 2 | Upon Request | SC | 5 | Metal Heart | SR721SW(362) | 44 |
| 3 HANDS DATE | K83F | + == | 8 | 834''' | 3.25 | 1.00 | AIG 2 | Available | CC | 0 | Metal Heart | SR721SW(362) | 42 |
| | 430F | + | 8 | 10½''' | 2.50 | 1.00 | AIG 2 | Upon Request | SC | 5 | Metal Heart | SR920SW(371) | 60 |
| | 2330F | + - | 8 | 10½''' | 2.95 | 1.00 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 66 |
| | 431F | + | 8 | 111/2''' | 2.50 | 1.00 | AIG 2 | Upon Request | SC | 5 | Metal Heart | SR920SW(371) | 60 |
| | 2331F | + = | 8 | 111/2" | 2.95 | 1.00 | AIG 2 | Available | SC | 0 | Synthetic | SR920SW(371) | 66 |
| | 2334F | + 22 | | 1434''' | 3.00 | 1.05 | AIG 2 | Available | SC | 0 | Synthetic | | 40 |
| | 23341 | | \otimes | 1474 | 3.00 | 1.03 | AIG Z | Available | 30 | U | Sylluleuc | SR920SW(371) | 40 |

SUGGESTED DESIGN : SWISS MADE





FAR EAST ASSEMBLY

Anadigit







Chronographs









Case Size 29 x 42mm





Cal. 8172A



















Multifunction















Day / Date / Month /



Cal. K62A No Crown













Day / Date / Dual Time Lady Multifunction Case Size 36mm Day / Date / Dual Time

Cal. 257A

No Crown









Big Date Standard Date

Basic

